



LACSPACE

Developer Documentation

React Kit — hooks, state, data & UX

@lacspace/hooks

24+ essential hooks

v1.0.0 · zero deps · react 18+ · generated 2026-08-25

Overview

The hooks you reach for on every project — `useLocalStorage`, `useDebounce`, `useMediaQuery`, `useOnClickOutside`, `useCopyToClipboard`, `useInterval`, `useIntersectionObserver` and 20 more. Every one SSR-safe, fully typed and tree-shakeable.

NOTE

When to use — Any React or Next.js app that keeps re-implementing the same utility hooks — persisted state, debouncing, media queries, click-outside, clipboard. Import the battle-tested version instead.

Package: `@lacspace/hooks` · v1.0.0

Kit: React Kit — hooks, state, data & UX

Runtime: zero deps · react 18+

Install

```
npm i @lacspace/hooks
```

Quick example

```
const [v, setV] = useLocalStorage("key", 0)
```

Key API

`useLocalStorage(key, initial)` Persisted, cross-tab state -> [value, setValue, remove].

`useDebounce(value, ms)` / `useThrottle` Debounced or throttled value; `useDebouncedCallback` for actions.

`useMediaQuery(q)` / `useWindowSize` SSR-safe responsive state.

`useOnClickOutside(ref, fn)` / `useHover` DOM interaction hooks.

`useCopyToClipboard()` [copied, copy(text)] with a graceful fallback.

`useInterval` / `useTimeout` / `useIdle` Pausable timers and idle detection.

+ 18 more `usePrevious`, `useToggle`, `useCounter`, `useDisclosure`, `useIntersectionObserver`, `useEventListener`, `useOnlineStatus`, `useLockBodyScroll`, `useUpdateEffect`...

Tips & warnings

TIP

Every hook is SSR-safe: on the server it returns a sensible default (e.g. `useMediaQuery`` is ``false``, storage hooks return your initial value) and hydrates in an effect — no ``window`` is not defined`.

TIP

`useLocalStorage`/`useSessionStorage`` sync across components and browser tabs automatically via the `storage`` event; the returned `remove()` clears the key.

TIP

Reach for `useDebounceCallback`` (not just `useDebounce``) when you need to debounce an action like search-as-you-type — it exposes a `.cancel()`.

TIP

It tree-shakes: importing one hook ships only that hook.

WARNING

This is a hooks library with no `"use client"` directive — call the hooks from your own Client Components (files with `"use client"`), never from Server Components.

WARNING

`useLocalStorage`` stores JSON — values must be serializable (no functions, `Map``, `Set`` or class instances).

Links & full reference

- npm: <https://www.npmjs.com/package/@lacspace/hooks>
- Source & full README: <https://github.com/lacspace/npm-packages/tree/main/hooks>
- Docs: lacspace.com/docs/hooks

The npm page and GitHub README carry the complete API reference and more examples.